

















## ACKNOWLEDGEMENT

The work is funded by the Ministry of Higher Education Malaysia under the Fundamental Research Grant Scheme project no. 5523392.

## REFERENCES

- [1] Gao, L. P., Zheng, S. F., Li W., Jiang Y. and Qu K. Y., 2003, Application and Design of Forced-air Pre-cooling Equipment and Technology for Fruits and Vegetables, Transactions of the Chinese Society of Agricultural Engineering, 19(6): 185-189.
- [2] Ma, Z., Yang, Z., Zhao C. E and Zhu, B. Q., 2007, Research Advances in Forced-air Pre-cooling Equipment for Fruits and Vegetables, Food and Machinery, 23(2): 114-117.
- [3] Karen, L. B. G. and Rolando F., 1991, Pre-cooling Procedure: Fruits and Vegetables, Postharvest Management of Commercial Horticultural Crops report, Kansas State University, Manhattan.
- [4] Xue, X. Z. and Wang, Z. J., 1993, Studies of Development of Vacuum Conception, Natural Communication, 1: 59-66.
- [5] McDonald, K. and Sun, D. W., 2001, Effect of Evacuation Rate on the Vacuum Cooling Process of a Cooked Beef Product, Journal of Food Engineering, 48: 195-202
- [6] John, F.O., 2005, Pumping Speed, A User's Guild to Vacuum Technology, 123-132.
- [7] Halliday, B. S., 2000, An Introduction to Materials for Use in Vacuum, R and D magazine, 37(8): 583-585.
- [8] Zhou, Y. A. and Wang, Y. F., 1999, Design and Calculation of Vacuum Proceeding Freeze Equipment, Refrigeration, 56(3): 36-40.
- [9] Van Atta, C. M. and Hablanian, M., 1991, Vacuum and Vacuum Technology, Encyclopaedia of Physics, 2: 1330-1333.